

EGL6086



Features

- Support 2 x Full HD Displays
- Fanless Energy Saving
- ECO Design
- AMD G Series Dual or Quad Core up to 2.0GHz
- Integrated AMD Radeon™ R1E or HD8400E
- 2 x DDR3 SO-DIMM, Up to 16GB
- 1 x SATA with Pin 7 VCC
- 1 x Onboard eMMC 16~32GB for Dual Core
- 2 x DP + 1 x VGA
- 8 Liners/ 72 Pin Golden Finger
- Long Lifetime Support to 2024

System

CPU	2 x DDR3 SO-DIMM, up to 16GB AMD GX-218GL Dual Core, 1.8GHz, 1MB L2 cache
Storage	1 x SATA with Pin 7 VCC
System Memory	2 x DDR3 SO-DIMM, up to 16GB
Graphic (GPU)	AMD Radeon Series: R1E / HD8400E

I/O

Display	2 x DisplayPort output
Audio	1 x 3.5mm audio jack stereo line-out on front panel
USB	1 x USB 2.0 port inside in housing 4 x USB 2.0 port on board edge
Serial	3 x DB9 connector 1 x CCTALK
Ethernet	1 x RJ45
GPIO	JAMMA 72 pins golden finger
Power	1 x DC in (+12V)
Golden Finger	8 Liners/72 pin Golden Finger

Environment & Mechanical

Power Supply	DC +12V
Dimension(W x D x H)	267mm x 178mm x 53mm
Operating Temperature	0°C to +70°C

Certification & Optional OS Installation

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL6086

OS Support	Linux Kernel 4.10.0+ Win 7 (E) 64Bit Win 8.1 (E) 64Bit
Gaming Premium Control	
Secured RTC	YES
Backup Battery	2 x CR2032 3V Li-Ion Battery CR2032 3V
Auxiliary Gaming Controller	YES
Security	By request
Intrusion Logger	Support 6-bit TTL level 3V pulled up input
NVRAM	YES

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL6086

Model	Description
EGL6086-2	<ul style="list-style-type: none">• AMD GX-218GL Dual Core, 1.8GHz, 1MB L2 cache• 2 x DDR3 SO-DIMM, Up to 16GB• 1 x SATA with Pin 7 VCC• 1 x Onboard eMMC 16~32GB
EGL6086-4	<ul style="list-style-type: none">• AMD 420CA Quad Core, 2.0GHz, 2MB L2 cache• 2 x DDR3 SO-DIMM, Up to 16GB• 1 x SATA with Pin 7 VCC

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice