

EGL7090



Features

- Support 2 x Full HD Displays and Max. 6 x 4K Displays
- Intel® Core™ i Series, Pentium®
- Integrated GPU HD530/HD510 + External Graphic Card
- 2 x DDR4 SO-DIMM, up to 32GB
- 2 x SATA with Pin 7 VCC + SmartBay®
- 2 x DP
- Modular I/O Design
- Long Lifetime Support to 2030

System

CPU	Intel® Pentium® G4400 Dual Core, 3.3GHz, 3MB SmartCache Intel® Core™ i5-6500TE Quad Core, 3.3GHz, 6MB SmartCache Intel® Core™ i5-6500 Quad Core, 3.6GHz, 6MB SmartCache
Storage	1 x SATA bay (15P + 7P) on bottom side 2 x SATAII Standard SATA connector with pin7 power
Chipset	Intel® H110
System Memory	2 x DDR4 SO-DIMM sockets, up to 32GB
Graphic (GPU)	PCI Express 16X Graphic Card: Intel® HD530 / HD510

I/O

Display	3 x DisplayPort Output on Add-on Graphic Card
Audio	1 x 5.1 Channel to 3.5mm Audio Jack
USB	2 x USB 3.0 Port 6 x USB 2.0 Port 1 x USB 2.0 Port on Smartbay®
Ethernet	2 x RJ45
Power	1 x DC in (+12V) 1 x CPU External Power Connector 1 x Graphic Card (GPU) External Power Connector
Serial Port	6 x DB9 Connector
External IO interface	SQIO

Environment & Mechanical

Power Supply	DC +12V
Dimension(W x D x H)	340mm x 234.5mm x 88mm
Operating Temperature	0 ~ 55°C

Certification & Optional OS Installation

OS Support	Win 7(E) 64 bit Ubuntu 18.04 LTS 64Bit
------------	---

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL7090

Gaming Premium Control

Backup Battery	1 x Rechargeable Ni-MH Battery
Auxiliary Gaming Controller	YES
Secure RTC	YES
Security	Infineon TPM
Intrusion Logger	Support 6 bit Intrusion Logger
NVRAM	YES

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL7090

Model	Description
EGL7090-G4400	<ul style="list-style-type: none">• Intel® Pentium® G4400 Dual Core, 3.3GHz, 3MB SmartCache• 2 x DDR4 SO-DIMM, up to 32GB• SmartBay Supports CFAST, CF, 2.5"/1.8" SSD, SATA DOM and USB Drive with Key Lock Option• High Performance Graphic Support, NVIDIA GeForce GTX 1050TI (with 2 x DP)
EGL7090-6500TE	<ul style="list-style-type: none">• Intel® Core™ i5-6500T Quad Core, 3.3GHz, 6MB SmartCache• 2 x DDR4 SO-DIMM, up to 32GB• SmartBay Supports CFAST, CF, 2.5"/1.8" SSD, SATA DOM and USB Drive with Key Lock Option• High Performance Graphic Support, NVIDIA GeForce GTX 1050TI (with 2 x DP)
EGL7090-6500	<ul style="list-style-type: none">• Intel® Core™ i5-6500 Quad Core, 3.6GHz, 6MB SmartCache• 2 x DDR4 SO-DIMM, up to 32GB• SmartBay Supports CFAST, CF, 2.5"/1.8" SSD, SATA DOM and USB Drive with Key Lock Option• High Performance Graphic Support, NVIDIA GeForce GTX 1050TI (with 2 x DP)

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

