



3rd/5th Gen Intel® Atom™, Celeron®, Pentium® Processor Ultra-slim Fanless Box Computer

Features

- Ultra-slim size: 173 x 88 x 21.7mm (6.81" x 3.46" x 0.85")
- 3rd Gen Intel® Atom™ Processor, Celeron® Processor (formerly Bay Trail)
- 5th Gen Intel® Atom™ Processor, Celeron® Processor (formerly Apollo Lake)
- Wide-Range DC voltage input: 9V~32V
- Cableless, fanless system, aluminum alloy structure
- 2x Mini-PCle with USIM socket
- 1x mSATA socket
- 16-bit programmable GPIO
- 2x RJ45 GbE
- 1x USB 3.0/2.0 port, 4x USB2.0 ports
- 1x UART RS-232 port

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

AMA

Digi-key Electronics



AIHDP-7500T
AIML6-6100
AIH-7700T
AIM6-6300PI
U7-131/E3815

EMEA

Italy

CJB Computer Job s.r.l.



www.cjb.it
Email: info@cjb.it

Netherlands

Batenburg Adelco Electronics



batenburg.nl
Email: info.adelco@batenburg.nl

Poland

ElectronicsMASTERS Sp. z o.o.



masters.com.pl
Email: masters@masters.com.pl

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

Digi-key Electronics



AIHDP-7500T
AIML6-6100
AIH-7700T
AIM6-6300PI
U7-131/E3815

APAC

Japan

PALTEK



www.paltek.co.jp
Email: info_pal@paltek.co.jp

Malaysia

Axmatic



www.axmatic.com
Email: Enquiry@axmatic.com

Digi-key Electronics



AIHDP-7500T
AIML6-6100
AIH-7700T
AIM6-6300PI
U7-131/E3815

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



SmartSL

Model	Description
U7-130	CPU: Intel® Celeron® N2807 (1.58 GHz, Dual Core L2 cache 1MB, 4.5W TDP) Memory: DDR3L with 1333 MT/s, 4GB
U7-131	CPU: Intel® Atom™ E3815 (1.46GHz, Single Core L2 cache 512KB, 5W TDP) Memory: DDR3L with 1333 MT/s, 1GB
U7-150	CPU: Intel® Pentium® N4200 (1.1/2.5 GHz, Quad Core L2 cache 2MB, 6W TDP) Memory: DDR3L with 1333 MT/s, 8GB eMMC 32G

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice