

SmartSL Plus

3rd Gen Intel® Atom™/Celeron® Processor Ultra-slim Fanless Box Computer

Features

- Ultra-slim size: 196 x 100 x 38.5mm (7.72" x 3.94" x 1.50")
- 3rd Gen Intel® Atom™ Processor, Celeron® Processor (formerly Bay Trail)
- Wide-Range DC voltage input: 9V~32V
- Cableless, fanless system, aluminum alloy structure
- Display: 1x DVI/VGA
- 3x RJ45 GbE Ethernet with 802.3at PoE PSE
- 1x Mini-PCIe with USIM socket, 1x mSATA socket
- 1x USB 3.0/2.0 port, 4x USB2.0 ports
- 8-bit isolated GPI & 8-bit isolated GPO
- 1x UART RS-232/422/485 switchable port



Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

EFCO
EverFine Group

Note : All product specifications are subject to change without notice

SmartSL Plus

EMEA

Italy

CJB Computer Job s.r.l.



www.cjb.it
Email: info@cjb.it

Netherlands

Batenburg Adelco Electronics



batenburg.nl
Email: info.adelco@batenburg.nl

Poland

ElectronicsMASTERS Sp. z o.o.



masters.com.pl
Email: masters@masters.com.pl

Digi-key Electronics



AIHDP-7500T
AIML6-6100
AIH-7700T
AIM6-6300PI
U7-131/E3815

APAC

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

SmartSL Plus

Japan

PALTEK



www.paltek.co.jp
Email: info_pal@paltek.co.jp

Malaysia

Axmatic



www.axmatic.com
Email: Enquiry@axmatic.com

Digi-key Electronics



AIHDP-7500T
AIML6-6100
AIH-7700T
AIM6-6300PI
U7-131/E3815

Model	Description
U7-230/U7-230V	CPU: Intel® Celeron® N2807 1.58 GHz (Dual Core L2 cache 1MB, 4.5W TDP) Memory: DDR3L with 1333 MT/s, 4GB
U7-231/U7-231V	CPU: Intel® Atom™ E3815 1.46 GHz (Single Core L2 cache 512KB, 5W TDP) Memory: DDR3L with 1333 MT/s, 1GB
U7-232/U7-232V	CPU: Intel® Celeron® J1900 2.0 GHz (Quad Core L2 cache 2MB, 10W TDP) Memory: DDR3L with 1333 MT/s, 4GB

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice